IN AN APPLICATION

(Use several sheets if necessary)

Docket Number: 510015-258 Applicant: De Robertis et al. Group Art Unit: 1647 Filing Date: July 11, 2001

			CATA TRADOUNCE		<u> </u>	<u> </u>							
			U.S. PATENT DOCUMEN										
EXAMINER INITIAL	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRI							
12 P	5,457,048	10/10/1995	Pasquale et al.)/29							
		1	OREIGN PATENT DOCUM	IENTS			8						
··	DOCUMENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION							
						YES	NO						
AR.	94/05791	03/17/1994	PCT										
ZIR	94/05800	03/17/1994	PCT				*******						
41.	0	THER DOCUME	NTS (Including Author, Title,	Date, Pertinent Pages,	Etc.)	- 							
<u> </u>			ing secreted factor expressed in	n the anterior endoder	m of Spemann's orga	nizer," Nature, 3	82:6592, pp						
AR.	595-601 (15 August 1996)												
Christian et al., "Interactions between Xwnt-8 and Spermann organizer signaling pathways generate dorsoventral pattern in the e Xenopus," Genes & Development, 7, pp. 13-28 (1993)													
	Gribskov et al, "[9] Profile Analysis," Methods of Enzymology, 183, pp. 146-159 (1990)												
	Krasnow et al., "dishevelled is a component of the frizzled signaling pathway in Drosophila," Development, 121, pp. 4095-4102 (1995)												
	Leyns et al., "Frzb-1 Is a Secreted Antagonist of Wnt Signaling Expressed in the Spemann Organizer," Cell, 88, pp. 747-756 (March 21, 1997)												
	Mayr et al., "Fritz: a secreted frizzled-related protein that inhibits Wnt activity," Mechanisms of Development, 63, pp. 109-125 (1997).												
	Moon et al., "Structural Related Receptors and Antagonists Compete for Secreted Wnt Ligands," Cell, 88, pp. 725-728 (March 21, 1997)												
	Sano et al., "Protocadherins: a large family of cadherin-related molecules in central nervous system," The EMBO Journal, 12:6, pp. 2249-2256 (1993)												
Sasai et al., "Xenopus chordin: A Novel Dorsalizing Factor Activated by Organizer-Specific Homeobox Genes," Cell, 79, 1994)													
	Sasai et al., "Regulation of neural induction by the Chd and Bmp-4 antagonistic patterning signals in Xenopus, Nature, 376, pp. 333-336 (27 July 19												
	Sokol et al., "A Mouse Macrophage Factor induces Head Structures and Organizes a Body Axis in Xenopus, Science, 249, pp. 561-564 (3 August 19)												
	Smith et al., "Injected Xwnt-8 RNA Acts Early in Xenopus Embryos to Promote Formation of a Vegetal Dorsalizing Center," Cell, 67, pp. 753-765 (November 15, 1991)												
	Smith et al., "Expression Cloning of a noggin, a New Dorsalizing Factor Localized to the Spemann Organizer in Xenopus Embryos," Cell, 70, pp. 82 840 (September 4, 1992)												
	Vinson et al., "A <i>Drosophila</i> tissue polarity locus encodes a protein containing seven potential transmembrane domains," <i>Nature</i> , 338, pp. 263-264 (March 1989)												
	Vinson et al., "Directional non-cell autonomy and the transmission of polarity information by the frizzled gene of Drosophila," Nature. 329. pp. 549-551 (8 October 1987)												
	Biol. Chem., 271:8, pp. 44	68-4476 (February :	•										
			ed in the Spemann Organizer,										
	of Nine Prediction Algorith	ıms Fails to Identif	ites on the S Glycoprotein of a y Relevant Epitopes and Peptid	es Immunogenicity	," <i>Yirology, 202</i> , pp. 5	540-549 (1994)							
	986 (1992)		iology, Second Edition, The Be	-		c., pp. 373, 375,	132, 985, a						
	ì		e Journal of Cell Biology, 113										
4R	Alberts et al., Molecular B	iology of the Cell, J	anuary 1994, Garland Publishi	ng, Inc., New York, N	Y, page(s) G-6, G-9,	G-17, G-23, 114	2, and 1144						

EXAMINER	Dance Form	DATE CONSIDERED	5	/26	[9	f				
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.										